

## CHEMSAFE VV835



GLOVE IN NITRILE ON POLYAMIDE LINING - FOAM NITRILE COATING PALM - 35 CM

Ref. VV835



### Product specifications

Double nitrile coating on polyamide lining. Third rough foam nitrile coating on palm and fingertips. Length: 35 cm. Thickness: 1.15 mm on cuff - 1.30 mm on palm.

Support: 100% polyamide.

Coating: Nitrile.

#### COLOUR

Green

#### SIZE

08, 09, 10, 11

## Product Use - Risks



Biological chemical particles



Wearing



Heavy industry




Light industry



Oil / Gas



Agriculture / Green areas



## Product's highlights & user's benefits



Rough structure palm

Very good grip

Triple nitrile coating

Good resistance to abrasion

100% polyamide support

Very good comfort

## Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements  
5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)  
4: Resistance to abrasion (from 1 to 4)  
1: Resistance to cutting (from 1 to 5)  
2: Resistance to tear (from 1 to 4)  
1: Resistance to puncture (1 to 4)  
X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks.

TYPE B: Type B - Water and air tightness according to EN374-2:2014. Permeation resistance to at least 3 chemicals at level 2 according to EN16523-1: 2015 (from 1 to 6).  
.: Determination of resistance to degradation by chemicals according to EN374-4: 2013. Part 4: Determination of resistance to degradation by chemicals.





A 2 > 30 mn: Méthanol (A) CAS 67-56-1  
J 3 > 60 mn: n-Heptane (J) CAS 142-85-5  
K 5 > 240 mn: Caustic soda 40% (K) CAS 1310-73-2  
L 2 > 30 mn: Sulphuric acid 96 % (L) CAS 7664-93-9

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro-organisms risks.

BACTERIA + FUNGI : BACTERIA + FUNGI : Water and air tightness according to EN374-2:2014.



## References

| References | Bar code      | COLOUR | SIZE |  |  |
|------------|---------------|--------|------|---|---|
| VV835VE08  | 3295249202866 | Green  | 08   | 60  | 6   |
| VV835VE09  | 3295249202873 | Green  | 09   | 60  | 6   |
| VV835VE10  | 3295249202880 | Green  | 10   | 60  | 6   |
| VV835VE11  | 3295249202897 | Green  | 11   | 60  | 6   |